



This is to certify that:

Werner UK Operations Ltd Derwentside Industrial Park Derby Road Belper DE56 1WE United Kingdom

Holds Certificate Number:

KM 642895

In respect of:

BS EN 131 Parts 1, 2 & 3 Ladders

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:

First Issued: 22/12/2015

Gary Fenton, Global Product Certification Director

Latest Issue: 22/12/2015

Page: 1 of 11



...making excellence a habit."

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 642895

BS EN 131-1:2007+A1:2011- Ladders. Terms, types, functional sizes.BS EN 131-2:2010+A1:2012- Ladders. Requirements, testing, marking.BS EN 131-3:2007- Ladders. User instructions.

Derwentside Industrial Park, Derby Road, Belper, DE56 1WE

Utility GRP Extending Ladders (290mm Pitch) *

Product Type	Section x Rungs
2.5m Double Extending, Alflo Aluminium Rung, External Rope Operated	2 x 8
3.0m Double Extending, Alflo Aluminium Rung, External Rope Operated	2 x 10
3.6m Double Extending, Alflo Aluminium Rung, External Rope Operated	2 x 12
3.9m Double Extending, Alflo Aluminium Rung, External Rope Operated	2 x 14
4.5m Double Extending, Alflo Aluminium Rung, External Rope Operated	2 x 15
4.8m Double Extending, Alflo Aluminium Rung, External Rope Operated	2 x 16
2.5m Double Extending, Rung Plate, Aluminium Rung, External Rope Operated	2 x 8
3.0m Double Extending, Rung Plate, Aluminium Rung, External Rope Operated	2 x 10
3.6m Double Extending, Rung Plate, Aluminium Rung, External Rope Operated	2 x 12
3.9m Double Extending, Rung Plate, Aluminium Rung, External Rope Operated	2 x 14
4.5m Double Extending, Rung Plate, Aluminium Rung, External Rope Operated	2 x 15

* 290mm pitch, with or without bow rung, with or without articulated foot

4.8m Double Extending, Rung Plate, Aluminium Rung, External Rope Operated

First Issued: 22/12/2015

Latest Issue: 22/12/2015

Page: 2 of 11

2 x 16

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.

A member of BSI Group of Companies.

No. KM 642895

BS EN 131-1:2007+A1:2011 - Ladders. Terms, types, functional sizes. BS EN 131-2:2010+A1:2012 - Ladders. Requirements, testing, marking. - Ladders. User instructions. BS EN 131-3:2007

Derwentside Industrial Park, Derby Road, Belper, DE56 1WE

Trade GRP Extending Ladders *

Product Type

Section x Rungs

2 x 16

2.5m Double Extending, Alflo Aluminium Rung, Internal Rope Operated	2 x 8
3.0m Double Extending, Alflo Aluminium Rung, Internal Rope Operated	2 x 10
3.6m Double Extending, Alflo Aluminium Rung, Internal Rope Operated	2 x 12
3.9m Double Extending, Alflo Aluminium Rung, Internal Rope Operated	2 x 14
4.5m Double Extending, Alflo Aluminium Rung, Internal Rope Operated	2 x 15
4.8m Double Extending, Alflo Aluminium Rung, Internal Rope Operated	2 x 16
2.5m Double Extending, Rung Plate, Aluminium Rung, Internal Rope Operated	2 x 8
3.0m Double Extending, Rung Plate, Aluminium Rung, Internal Rope Operated	2 x 10
3.6m Double Extending, Rung Plate, Aluminium Rung, Internal Rope Operated	2 x 12
3.9m Double Extending, Rung Plate, Aluminium Rung, Internal Rope Operated	2 x 14
4.5m Double Extending, Rung Plate, Aluminium Rung, Internal Rope Operated	2 x 15

* 290mm pitch, with or without bow rung, with or without articulated foot

4.8m Double Extending, Rung Plate, Aluminium Rung, Internal Rope Operated

First Issued: 22/12/2015

Latest Issue: 22/12/2015

Page: 3 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated online.

No. KM 642895

BS EN 131-1:2007+A1:2011 - Ladders. Terms, types, functional sizes. BS EN 131-2:2010+A1:2012 - Ladders. Requirements, testing, marking. BS EN 131-3:2007 - Ladders. User instructions.

Derwentside Industrial Park, Derby Road, Belper, DE56 1WE

Box Section Aluminium Ladders *

Product	Box Section (mm)	Section x Rungs
1.81m Single Section	60 x 23	1 x 6
2.09m Single Section	60 x 23	1 x 7
2.37m Single Section	60 x 23	1 x 8
2.65m Single Section	60 x 23	1 x 9
2.93m Single Section	68 x 23	1 x 10
3.21m Single Section	68 x 23	1 x 11
3.49m Single Section	73 x 23	1 x 12
3.77m Single Section	78 x 23	1 x 13
4.05m Single Section	78 x 23	1 x 14
4.33m Single Section	85 x 23	1 x 15
4.61m Single Section	85 x 23	1 x 16
4.89m Single Section	85 x 23	1 x 17
1.85m Double Extending	60 x 23	2 x 6
2.13m Double Extending	60 x 23	2 x 7
2.41m Double Extending	60 x 23	2 x 8
2.69m Double Extending	60 x 23	2 x 9
2.97m Double Extending	68 x 23	2 x 10
3.25m Double Extending	68 x 23	2 x 11
3.53m Double Extending	73 x 23	2 x 12
3.81m Double Extending	78 x 23	2 x 13
4.09m Double Extending	78 x 23	2 x 14
4.37m Double Extending	85 x 23	2 x 15
4.65m Double Extending	85 x 23	2 x 16
4.93m Double Extending	85 x 23	2 x 17
*With or without articulated feet		

First Issued: 22/12/2015

Latest Issue: 22/12/2015

Page: 4 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 642895

BS EN 131-1:2007+A1:2011 - Ladders. Terms, types, functional sizes. BS EN 131-2:2010+A1:2012 - Ladders. Requirements, testing, marking. BS EN 131-3:2007 - Ladders. User instructions.

Derwentside Industrial Park, Derby Road, Belper, DE56 1WE

Box Section Aluminium Ladders * (continued)

Product	Box Section (mm)	Section x Rungs
1.85m Triple Extending	60 x 23	3 x 6
2.13m Triple Extending	60 x 23	3 x 7
2.41m Triple Extending	68 x 23	3 x 8
2.69m Triple Extending	68 x 23	3 x 9
2.97m Triple Extending	78 x 23	3 x 10
3.25m Triple Extending	85 x 23	3 x 11
3.53m Triple Extending	85 x 23	3 x 12
3.81m Triple Extending	85HD x 23	3 x 13
4.09m Triple Extending	85HD x 23	3 x 14
*With or without articulated feet		
Product	Box Section (mm)	Rungs
1.84m Double Combination / Reform	60 x 23	6 + 5
2.12m Double Combination / Reform	60 x 23	7 + 6
2.4m Double Combination / Reform	68 x 23	8 + 7
2.68m Double Combination / Reform	73 x 23	9 + 8
2.96m Double Combination / Reform	78 x 23	10 + 9
3.24m Double Combination / Reform		
	85 x 23	11 + 10
3.53m Double Combination / Reform	85 x 23 85 x 23	11 + 10 12 + 11

First Issued: 22/12/2015

Latest Issue: 22/12/2015

Page: 5 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 642895

BS EN 131-1:2007+A1:2011 - Ladders. Terms, types, functional sizes. BS EN 131-2:2010+A1:2012 - Ladders. Requirements, testing, marking. - Ladders. User instructions. **BS EN 131-3:2007**

Derwentside Industrial Park, Derby Road, Belper, DE56 1WE

Box Section Aluminium Ladders * (continued)

Product	Box Section (mm)	Rungs
1.84m Triple Combination / Reform	60 x 23	6 x 6 x 5
2.12m Triple Combination / Reform	60 x 23	7 x 7 x 6
2.40m Triple Combination / Reform	68 x 23	8 x 8 x 7
2.68m Triple Combination / Reform	73 x 23	9 x 9 x 8
2.96m Triple Combination / Reform	78 x 23	10 x 10 x 9
3.24m Triple Combination / Reform	85 x 23	11 x 11 x 10
3.53m Triple Combination / Reform	85 x 23	12 x 12 x 11
3.80m Triple Combination / Reform	85HD x 23	13 x 13 x 12
4.08m Triple Combination / Reform	85HD x 23	14 x 14 x 13
*With or without articulated feet		

Aluminium Extending Ladders (C Section)

Product	Section x Rungs
2.0m Double Extending	2 x 7
2.6m Double Extending	2 x 9
2.8m Double Extending	2 x 10
3.1m Double Extending	2 x 11
3.4m Double Extending	2 x 12
3.6m Double Extending	2 x 13
3.9m Double Extending	2 x 14
4.2m Double Extending	2 x 15
4.5m Double Extending	2 x 16

First Issued: 22/12/2015

Latest Issue: 22/12/2015

Page: 6 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 642895

BS EN 131-1:2007+A1:2011- Ladders. Terms, types, functional sizes.BS EN 131-2:2010+A1:2012- Ladders. Requirements, testing, marking.BS EN 131-3:2007- Ladders. User instructions.

Derwentside Industrial Park, Derby Road, Belper, DE56 1WE

Aluminium Extending Ladders (C Section)

Product	Section x Rungs
2.0m Triple Extending	3 x 7
2.6m Triple Extending	3 x 9
2.8m Triple Extending	3 x 10
3.1m Triple Extending	3 x 11
3.4m Triple Extending	3 x 12

Aluminium Platform Stepladders

- 2-7 Tread Platform Stepladders
- 2-7 Tread, Large Platform, Platform Stepladders
- 2-7 Tread, Large Platform, Platform Stepladders with Handrail

GRP Step Ladders

Trade

3 - 11 Aluminium Tread, 298mm pitch, External Opening Restraints, Swingback Stepladder*

*With GRP or steel bracing on supporting leg and bottom tread

Industrial

3 – 11 Aluminium Tread, 298mm pitch, Internal Opening Restraints, Swingback Stepladder

First Issued: 22/12/2015

Latest Issue: 22/12/2015

Page: 7 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 642895

BS EN 131-1:2007+A1:2011	-	Ladders. Terms, types, functional sizes.
BS EN 131-2:1993	-	Ladders. Requirements, testing, marking.
BS EN 131-3:2007	-	Ladders. User instructions.

Derwentside Industrial Park, Derby Road, Belper, DE56 1WE

Combination Ladders

Product Type

3 Way, Standard Horn Length3 Way, Extended 55mm Horn Length4 Way Combination Ladder5 Way Combination Ladder & Platform

Rungs

6 rung + 5 rung 6 rung + 5 rung 6 rung + 6 rung + 5 rung 6 rung + 5 rung

GRP Stepladders

DIY

3 – 7 Aluminium Tread, 250mm Pitch, External Opening Restraint, Swingback Stepladders*

3 – 7 Aluminium Tread, 250mm Pitch, External Opening Restraint, Platform Stepladders*

*With steel or moulded plastic corner horn braces

Trade

- 3 13 Aluminium Tread, 250mm Pitch, Internal Opening Restraint, Swingback Stepladders*
- 2 12 Aluminium Tread, 250mm Pitch, Internal Opening Restraint, Platform Stepladders*

*With steel or moulded plastic corner horn braces

Industrial

- 3 13 Aluminium Tread, 250mm Pitch, Internal Opening Restraint, Swingback Stepladders
- 2 12 Aluminium Tread, 250mm Pitch, Internal Opening Restraint, Platform Stepladders

First Issued: 22/12/2015

Latest Issue: 22/12/2015

Page: 8 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

To check its validity telephone +++ (0) 6+5 000 5000. All electronic certificate can be authenticated <u>online</u>.

No. KM 642895

BS EN 131-1:2007+A1:2011 - Ladders. Terms, types, functional sizes. BS EN 131-2:1993 - Ladders. Requirements, testing, marking. BS EN 131-3:2007 - Ladders. User instructions.

The Causeway, Maldon, CM9 4LJ

Trade 200

Product Type	Section x Rungs
3.0m Single Section	1 x 10
4.2m Single Section	1 x 14
5.4m Single Section	1 x 18
6.0m Single Section	1 x 20
2.0m Double Extending	2 x 6
2.5m Double Extending	2 x 8
3.0m Double Extending	2 x 10
3.6m Double Extending	2 x 12
4.2m Double Extending	2 x 14
4.8m Double Extending	2 x 16
5.4m Double Extending	2 x 18
2.0m Triple Extending	3 x 6
2.5m Triple Extending	3 x 8
3.0m Triple Extending	3 x 10
3.6m Triple Extending	3 x 12
4.2m Triple Extending	3 x 14
3.0m Triple Extending	3 x 11

First Issued: 22/12/2015

Latest Issue: 22/12/2015

Page: 9 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 642895

BS EN 131-1:2007+A1:2011 - Ladders. Terms, types, functional sizes. BS EN 131-2:1993 - Ladders. Requirements, testing, marking. BS EN 131-3:2007 - Ladders. User instructions.

The Causeway, Maldon, CM9 4LJ

Trade 400

Product Type	Section x Rungs
3.6m Double Extending 4.2m Double Extending 4.8m Double Extending	2 x 12 2 x 14 2 x 16
3.0m Triple Extending	3 x 10
3.0m Quadruple Extending	4 x 10

Industrial 500

Product Type

3.0m Single Section	1 x 10
4.2m Single Section	1 x 14
4.8m Single Section	1 x 16
5.4m Single Section	1 x 18
3.0m Double Extending	2 x 10
3.6m Double Extending	2 x 12
4.2m Double Extending	2 x 14
4.8m Double Extending	2 x 16
5.4m Double Extending	2 x 18
3.0m Triple Extending	3 x 10
3.6m Triple Extending	3 x 12

First Issued: 22/12/2015

Latest Issue: 22/12/2015

Page: 10 of 11

Section x Rungs

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.

No. KM 642895

BS EN 131-1:2007+A1:2011 - Ladders. Terms, types, functional sizes. BS EN 131-2:1993 - Ladders. Requirements, testing, marking. BS EN 131-3:2007 - Ladders. User instructions.

The Causeway, Maldon, CM9 4LJ

Combination Ladders

Product Type	Section x Rungs
3 Way Combination Ladder	2 x 6
2.0m Combination Ladder	3 x 6
2.5m Combination Ladder	3 x 8
3.0m Combination Ladder	3 x 10

Teleguard – Aluminium Platform Stepladder

1.7m 4-6 rung Extendable with Platform Guardrails and Gate 2.1m 5-8 rung Extendable with Platform Guardrails and Gate 2.6m 7-9 rung Extendable with Platform Guardrails and Gate

First Issued: 22/12/2015

Latest Issue: 22/12/2015

Page: 11 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated <u>online</u>.